Annual Water Quality Report

Water Testing Performed in 2017





City of Vallejo System, CA4810007 City of Vallejo Lakes System, CA4810021

30073-I-0031

The City of Vallejo welcomes this yearly opportunity to provide our customers with the Annual Water Quality Report. We have included information so you know where your drinking water comes from, how it is treated and how its quality compares to drinking water standards.

This report contains information from water quality testing in 2017 and shows how your water compares with primary and secondary standards established by the State Water Resources Control Board and the U.S. Environmental Protection Agency (USEPA). Primary standards are health related standards whereas secondary standards relate to consumer acceptance of the water supply and govern qualities such as taste, odor and color.

The tables in this report show each constituent found, the level at which they occur, how their level compares with standards and their most likely source. For more information about this report, or for any questions relating to your drinking water, please call Jason Frink, City of Vallejo, Laboratory Supervisor, at (707) 649-3473.

Public Participation

You are invited to participate in our public forum and voice your opinions and concerns about your drinking water. The Vallejo City Council meets on various Tuesdays, throughout the year, at 7:00 p.m. at 555 Santa Clara Street, Vallejo. You may call the City Clerk at (707) 648-4527 for specific meeting dates.



Your Water Treatment Process

The **City of Vallejo** water system and service area receives its finished water from the forty-two million gallons per day Fleming Hill Water Treatment Plant. This conventional treatment facility utilizes a multi-barrier process to ensure compliance with all State and Federal drinking water regulations and standards.

Initially, ozone is added to help remove dissolved organic matter and to aid in downstream processes. The water then flows to mixing basins where coagulants are added and the water is gently agitated so that fine suspended particles come together to form large 'floc' particles that settle out of the water. This process, known as coagulation, flocculation and sedimentation is followed by the addition of more ozone to disinfect and remove unwanted color, taste and odor.

The next step is filtration, where the water flows through multimedia filters consisting of granular activated carbon and sand in order to meet strict standards for clarity and to reduce the levels of microbial contaminants that could be in the untreated source water. Following filtration, the water receives additions of caustic soda, for pH and alkalinity control; fluoride, for the prevention of dental caries; and finally, chlorine to provide microbial protection throughout Vallejo's distribution system. Quality control and assurance is maintained at all times through uniform adherence to standard operating procedures and a meticulous schedule of laboratory analyses.

The **City of Vallejo Lakes System's** Green Valley Water Treatment Plant, which provides water service to the Lakes service area, can treat up to one million gallons a day.

First, the MIEX™ pretreatment process removes naturally occurring dissolved organic matter. This treatment, using ion exchange resin, enables us to meet the Disinfectant/Disinfection By-products Rule by sufficiently lowering the levels of total organic carbon, therefore limiting the formation of disinfection by-products such as total trihalomethanes. Total trihalomethanes are chemicals formed over time in the distribution system when dissolved organic matter combines with chlorine. Regulations require we use chlorine to disinfect surface water.

The treatment plant's conventional treatment process uses polymer to promote coagulation, flocculation and sedimentation that remove the majority of soil particles from the water. Then, the water gravity flows through multimedia filters consisting of anthracite and sand so that it will meet clarity standards required to decrease microbial contaminants and to aid the disinfection process. Depending on which

water source or blend of sources we are treating (Lakes Madigan and Frey and/or Putah South Canal), we may add soda ash in order to increase alkalinity and pH. The last step of the treatment process adds chlorine to disinfect the water supply and to provide continual protection in the distribution system. This treatment plant does not add fluoride to your water.

A Message From the United States Environmental Protection Agency

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

 Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife;

continued on outside panel



Environmental Protection Agency continued from inside

- Inorganic Contaminants, such as salts and metals, which can be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming;
- Pesticides and Herbicides, that may come from a variety of sources such as agriculture, urban storm water runoff and residential uses;
- Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural applications and septic systems; and
- Radioactive Contaminants, that can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency (USEPA) and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.



Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien que lo entienda bien.

Mahalaga ang impormasyong ito. Mangyaring ipasalin ito.

(707) 648-4307



Your Water Sources

The City of Vallejo owns and operates two permitted public water systems for the benefit of our customers in two major service areas. The City of Vallejo Water System and service area provides drinking water to customers within the city limits, to some customers in the unincorporated areas adjacent to City boundaries and to a limited number of customers in the City of American Canyon.

The City of Vallejo Water System customers are fortunate because they receive water supplies from two surface water sources. The Solano Project provides source water from Lake Berryessa, transported to our facilities by the Putah South Canal. The City also receives surface water from the State Water Project. This water, from Lake Oroville, travels through the Sacramento River to the State's North Bay Aqueduct pumping facilities. Our source water

pumping and distribution facilities enable us to treat and deliver water from either one of these sources or to blend these sources before treatment at the Fleming Hill Water Treatment Plant and distribution to the Vallejo service area. The City of Vallejo Lakes System and service area is a public water system with its own treatment plant and distribution system that delivers

drinking water to



customers residing in the Green Valley, Old Cordelia, Jameson Canyon, Suisun Valley, Willotta Oaks and Gordon Valley areas.


This system and service area also has water available from two distinct surface water sources. In addition to the Solano Project's Lake Berryessa water delivered from the Putah South Canal by agreement with the Solano Irrigation District, this system treats water from Lakes Frey and Madigan, which are two interconnected lakes owned by the City of Vallejo. The Green Valley Water Treatment Plant can either treat these two sources separately or blend these two sources before treatment and delivery to our customers. In case of emergencies, portions of this system can receive treated water from the City of Fairfield. For a copy of their Annual Water Quality Report, please call (707) 437-5387.

City of Vallejo Annual Water Quality Report Water Testing Performed in 2017

	PRIMARY DRINKI	NG WATE	R STANDARDS - Hea	ilth Rel	ated Standards			
PARAMETER/CONSTITUENTS	STATE	PHG	VALLEJO SERVICE AREA		LAKES SERVICE AREA		MAJOR SOURCES IN	
(units of measurement)	MCL (MC		MCLG) RANGE		RANGE		DRINKING WATER	
INORGANICS								
FLUORIDE (ppm)	2	1	0.5 - 1.1	0.7	0.1 - 0.2	0.1	Water additive or natural minerals	
MICROBIAL								
TOTAL COLIFORM (% positive samples or number of samples positive)	5% or 1 sample	(0)	ND - 0.6	ND	ND - 2	ND	Naturally present in the environmen	
For the City of Vallejo Water System, no more than 5% of all samples taken during a single month may be positive for total coliform. For the Lakes System, no more than one sample per month may be positive for total coliform bacteria.								
CLARITY								
TURBIDITY (NTU)	TT = 95% of samples ≤ 0.3 Maximum ≤ 1 TT = % reduction ≥ 80%		100% of samples ≤ 0.3 Maximum = 0.11 99% - 100%	99%	100% of samples ≤ 0.3 Maximum = 0.14 99% - 100%	99%	Soil runoff	
Turbidity is a measurement of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration system. MCL compliance is based on all samples taken each month. All samples were in compliance.								
RADIOLOGICAL								
RADIUM 228 (pCi/L)	5	0.019	1.58 - 1.58	1.58	ND	ND	Erosion of natural deposits	
City of Vallejo System sampled in 2013 and Lakes	System sampled in 2016. The St	tate requires	us to monitor for certain su	ostances I	ess than once a year becaus	e their c	oncentration does not change frequently	
DISINFECTANT	MRDL	EPG MRDLG						
CHLORINE, Free Residual as Cl2 (ppm)	4.0*	4*	ND - 1.8	0.8	ND - 2	0.5	Drinking water disinfection	
DISINFECTION BY-PRODUCTS								
ВКОМАТЕ (ррb)	10*	0.1	ND	ND	n/a	n/a	Drinking water disinfection	
TRIHALOMETHANES, TOTAL (ppb)	80*	n/a	15 - 79	70	20 - 68	66	Drinking water disinfection	
HALOACETIC ACIDS (ppb)	60*	n/a	5.6 - 19	14	ND - 27	14	Drinking water disinfection	
DISINFECTION BY-PRODUCTS PRECURSOR								
TOTAL ORGANIC CARBON (%Removal Ratio)	TT = Running Annual Average (RAA) ≥ 1*		All RAA ≥ 1 minimum = 2.1		All RAA ≥ 1 minimum = 2.6		Decay of natural organic matter	

*Compliance levels for the five parameters listed above are based on a running annual average determined quarterly. This means that every three months, we average all the samples taken during the prior twelve month period. Results for minimum and maximum values are based on single samples.

Monitoring for Cryptosporidium



Beginning in 2006, federal regulations required us to monitor our raw, untreated water sources (the Putah South Canal and the North Bay Aqueduct) for levels of Cryptosporidium contamination for two years. Cryptosporidium is a microbial parasite commonly found in surface water throughout the U.S. After analyzing twentyfour monthly samples from each source, we did not find Cryptosporidium in the North Bay Aqueduct water and the Putah South Canal had low levels in only two samples. Results from this monitoring program demonstrated that currently, our water treatment processes are sufficient to treat the levels of Cryptosporidium possibly encountered in our raw water supplies. The filtration process removes Cryptosporidium, although commonly used methods cannot guarantee 100% removal. Please refer to the article "Special Health Concerns" for more information regarding Cryptosporidium.

PRIMARY STANDARDS-LEAD and COPPER STUDY-Monitoring of Customers' Tap Water

PARAMETER/CONSTITUENTS (units of measurement)	AL	PHG		Number of Homes Above Action Level	Number of Homes Sampled in 2015	Lakes Service Area 90th %	Number of Homes Above Action Level	Number of Homes Sampled in 2017	MAJOR SOURCE IN DRINKING WATER
COPPER (ppb at the 90th %)	1.3	0.3	ND	0	52	ND	0	15	Internal corrosion of household plumbing
LEAD (ppb at the 90th %)	15	0.2	ND	0	52	ND	0	15	Internal corrosion of household plumbing

Every three years the City is required to sample at the customers' faucets for lead and copper. This monitoring ensures our water is not too corrosive and does not leach unsafe levels of these metals into your drinking water. Compliance measurements are from the 90th percentile (the highest level measured from 90% of the homes sampled). The latest monitoring, for both water systems, did not detect lead from 90% of the homes sampled.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Vallejo is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Special Health Concerns



Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Source Water Assessments and Vulnerability Summaries

Source Water Assessments evaluate the quality of the water used as a drinking water supply for local communities and examine the water's vulnerability to possible contamination from activities within the watershed. Source Water Assessments were completed in 2012 for the Putah South Canal and in 2016 for Lakes Frey and Madigan. The North Bay Aqueduct's (Sacramento Delta) assessment was completed in 2011. The adjacent table summarizes the vulnerability of each water source and provides a contact name if you would like copies of the complete assessments.

SECONDARY DRINKING WATER STANDARDS - Aesthetics Related Standards									
STATE	PHG or			LAKES SERVICE AREA WATER		MAJOR SOURCES IN DRINKING WATER			
WICL	(IVICEG)	RANGE	AVG	RANGE	AVG				
500	none	8 - 22	10	33 - 95	43	Natural minerals			
3	none	1.0 - 1.4	_1_	1.0 - 2.0	_1_	Natural organic matter			
1,600	none	211 - 476	324	327 - 537	429	Natural minerals			
500	none	21 - 44	31	9 - 25	10	Natural minerals			
1,000	none	120 - 298	202	204 - 336	240	Natural minerals			
MONITORING FOR SODIUM and HARDNESS									
none	none	24	24	43	43	Natural minerals			
none	none	64 -184	121	92 - 164	130	Natural minerals			
none	none	4 - 11	7	5 - 10	8	Natural minerals			
	\$TATE MCL 500 3 1,600 500 1,000 MONITORI none none	STATE PHG or (MCLG)	STATE MCL PHG or (MCLG) VALLEJO SEI AREA WAT RANGE 500 none 8 - 22 3 none 1.0 - 1.4 1,600 none 211 - 476 500 none 120 - 298 MONITORING FOR SODIUM and none none none 64 - 184	STATE PHG or (MCLG) WALLEJO SERVICE AREA WATER	STATE MCL PHG or (MCLG) VALLEJO SERVICE AREA WATER LAKES SER AREA WATER 500 none 8 - 22 10 33 - 95 3 none 1.0 - 1.4 1 1.0 - 2.0 1,600 none 211 - 476 324 327 - 537 500 none 21 - 44 31 9 - 25 1,000 none 120 - 298 202 204 - 336 MONITORING FOR SODIUM and HARDNESS none none 24 24 43 none none 64 - 184 121 92 - 164	STATE MCL			

Vulnerability Assessments Table							
Source	Most Vulnerable Activities	Moderately Vulnerable Activities	Contact				
Lakes Frey and Madigan	Illegal body contact* Wild animal access* Agricultural drainage*	Other animal operations Wildfires	Brian Vanciel City of Vallejo (707) 648-4307				
Putah South Canal	Illegal activities/ Dumping Herbicide applications	Road/Streets Storm drain discharge Recreational area	Alex Rabidoux Solano County Water Agency (707) 451-6090				
North Bay Aqueduct	Grazing animals* Runoff from grazing land	Runoff from agricultural land	Alex Rabidoux Solano County Water Agency (707) 451-6090				
*Associated with detected contaminants							

Pertains to Lakes System Service Area Only - Notice to Customers

If you reside in the Old Cordelia service area please contact City of Fairfield at 707-437-5387 for a copy of their Annual Water Quality Report.

All residences on Willotta Drive received Vallejo Lakes System water in 2017.

This Consumer Confidence Report (CCR) reflects changes in drinking water regulatory requirements during 2016. All water systems are required to comply with the state Total Coliform Rule. Effective April 1, 2016, all water systems are also required to comply with the federal Revised Total Coliform Rule. The new federal rule maintains the purpose to protect public health by ensuring the integrity of the drinking water distribution system and monitoring for the presence of microbials (i.e., total coliform and E. coli bacteria). The U.S. EPA anticipates greater public health protection as the new rule requires water systems that are vulnerable to microbial contamination to identify and fix problems. Water systems that exceed a specified frequency of total coliform occurrences are required to conduct an assessment to determine if any sanitary defects exist. If found, these must be corrected by the water system.

During the past year we were required to conduct 1 Level 1 assessment. 1 Level 1 assessment was completed and no corrective actions were required.

During August, 2017 some Lakes Water System customers received notification regarding their Systems violation for total coliform, a bacteriological standard. Coliforms are bacteria that are naturally present in the environment and are used as an indicator potentially- harmful, bacteria may be present. Coliforms were found in more samples than allowed and this was a warning of potential problems.

DEFINITION OF TERMS USED IN THIS REPORT

AL-Regulatory Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Level 1 Assessment:

A study of the water system to identify potential problems and determine (if possible) why total coliform have been found in our water system.

MCL-Maximum Contaminant Level:

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

MCLG-Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. EPA

MRDL-Maximum Residual Disinfectant Level:

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG-Maximum

Residual Disinfectant Level Goal:

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

n/a: Not applicable

ND: Not detected

NTU-Nephelometric Turbidity Units: Particles in water that make it appear cloudy

pCi/L: picoCuries per liter: A measure of radioactivity

PHG-Public Health Goal: The level of a contaminant in drinking water below

which there is no known or expected risk to health. PHGs are set by the California EPA.

ppb: parts per billion or micrograms per liter

ppm: parts per million or milligrams per liter (mg/L)

Primary Drinking Water Standards: MCLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards:

MCLs for aesthetic characteristics of water (such as color, taste, and odor) that may affect the

consumer's acceptance of their water supply.

TT-Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.

μS/cm-Microsiemens per Centimeter: A measure of electrical conductivity

City of Vallejo **Water Conservation** Program

Contact us for information on free water-saving devices and services or rebates to help reduce water use.

www.vallejowater.org

(707) 648-5299 (707) 648-4479